Author Index Vol. 664

Akimoto, K., see Sormiachi, K. 664(1995)435
Alibada, Y., see Safi, A. 664(1995)253
Altieri, I., see Pacifici, R. 664(1995)329
Alyoshkin, V.A., see Matveevskaya, N.S. 664(1995)261
Aoki, H., see Tanaka, M. 664(1995)401
Arslan, P., see Libera, L.D. 664(1995)185
Awadé, A.C., see Vachier, M.C. 664(1995)201
Barrois, R., see Vallar, L. 664(1995)97
Beijnen, J.H., see Huizing, M.T. 664(1995)373
Beijnen, J.H., see Sparreboom, A. 664(1995)383
Beltrame, M., see Libera, L.D. 664(1995)185
Bernard, A., Bories, C., Loiseau, P.M. and Cardot, P.J.P.
Selective elution and purification of living *Trichomonas vaginalis* using gravitational field-flow fractionation 664(1995)444
Bladier, D., see Lutomski, D. 664(1995)79
Boisson-Vidal, C., see Dahri, L. 664(1995)47
Bonté, F., Pinguet, P., Chevalier, J.M. and Meybeck, A.
Analysis of all stratum corneum lipids by automated multiple development high-performance thin-layer chromatography 664(1995)311
Bories, C., see Bernard, A. 664(1995)444
Boschetti, E., Guerrier, L., Girot, P. and Horvath, J.
Preparative high-performance liquid chromatographic separation of proteins with HyperD ion-exchange supports 664(1995)225
Boschetti, E., see Guerrier, L. 664(1995)119
Boschetti, E., see Santambien, P. 664(1995)241
Bourin, P., see Lutomski, D. 664(1995)79
Brostedt, P., see Li, Y.-M. 664(1995)426
Brunet, C., see Faouzi, M.A. 664(1995)463
Burnouf, T.
Chromatography in plasma fractionation: benefits and future trends (Review) 664(1995)3
Cannon, D., see Jacob III, P. 664(1995)449
Cantini, M., see Libera, L.D. 664(1995)185
Cardot, P.J.P., see Bernard, A. 664(1995)444
Carnicero, M., see González, M.L. 664(1995)317
Caron, M., see Lutomski, D. 664(1995)79
Caronna, A., see Pacifici, R. 664(1995)329
Cassani, G., see Palmieri, G. 664(1995)127
Cassani, G., see Verdoliva, A. 664(1995)175
Cazin, J.C., see Faouzi, M.A. 664(1995)463
Cazin, M., see Faouzi, M.A. 664(1995)463
Cerutti, L., see Pastoris, A. 664(1995)287
Chaplin, M.F.
Analysis of bile acids and their conjugates using high-pH anion-exchange chromatography with pulsed amperometric detection 664(1995)431
Chenou, C., see Rodrigues, A.E. 664(1995)233
Chevalier, J.M., see Bonté, F. 664(1995)311
Chiancone, E., Gattoni, M., Fronticelli, C., Termine, A., Silvestri, L. and Sarti, P.
Preparative and analytical applications of immobilized haemoglobin 664(1995)89
Chudinová, M., see Mislovičová, D. 664(1995)145
Cole, P.J., see Taylor, G.W. 664(1995)458
Costa, P.M.P., see Vallar, L. 664(1995)97
Costa, P.P., see Vallar, L. 664(1995)97
Craescu, C.T., see Noinville, V. 664(1995)33
Cserháti, T., see Forgács, E. 664(1995)277
Dahri, L., Boisson-Vidal, C., Regnault, V., Muller, D., Sultan, Y. and Stoltz, J.F.
Synthetic sorbents for removal of factor VIII inhibitors from haemophilic A plasma 664(1995)47
Davrinche, C., see Nattouf, H. 664(1995)365
de Collongue-Poyet, B., Vidal-Madjar, C., Sebille, B. and Unger, K.K.
Study of conformational effects of recombinant interferon γ adsorbed on a non-porous reversed-phase silica support 664(1995)155
De Fusco, M., D'Incalci, M., Gentili, D., Reichert, S. and Zucchetti, M.
High-performance liquid chromatographic assay for the determination of the novel etoposide derivative dimethylaminoetoposide (NK611) and its metabolites in urine of cancer patients 664(1995)409
de la Torre, R., see González, M.L. 664(1995)317
Dellacherie, E., see Leonard, M. 664(1995)39
Denouël, J., see Zehender, H. 664(1995)347
De Vecchi, L., see Pastoris, A. 664(1995)287
D'Incalci, M., see De Fusco, M. 664(1995)409
Dine, T., see Faouzi, M.A. 664(1995)463
Dočolomanský, P., see Mislovičová, D. 664(1995)145
Driou, A., see Perrin, E. 664(1995)267
Dugue, B., see Safi, A. 664(1995)253
Ebete, K.O., see Kountourellis, J.E. 664(1995)468
Faouzi, M.A., Dine, T., Luyckx, M., Brunet, C., Gressier, B., Cazin, M., Wallaert, B. and Cazin, J.C.
High-performance liquid chromatographic method for the determination of budesonide in bronchoalveolar lavage of asthmatic patients 664(1995)463
Farinotti, R., see Nattouf, H. 664(1995)365
Fassina, G., see Palmieri, G. 664(1995)127
Fassina, G., see Verdoliva, A. 664(1995)175
Feriotto, G., see Mischiati, C. 664(1995)303
Finger, U.B., Thömmes, J., Kinzelt, D. and Kula, M.-R.
Application of thiophilic membranes for the purification of monoclonal antibodies from cell culture media 664(1995)69
Fiorentino, D., see Mischiati, C. 664(1995)303
Flayeux, I., see Guerrier, L. 664(1995)119
Forgács, E. and Cserháti, T.
Determination of hydrophobicity of non-homologous series of anticancer drugs by reversed-phase high-performance liquid chromatography 664(1995)277
Fournier, C., see Leonard, M. 664(1995)39
Fronticelli, C., see Chiancone, E. 664(1995)89
Gambari, R., see Mischiati, C. 664(1995)303
García-Pérez, A.-I., see Lucas, L. 664(1995)137
Gastin, I., see Moutete, H.F. 664(1995)211
Gastin, I., see Safi, A. 664(1995)253
Gattoni, M., see Chiancone, E. 664(1995)89

Gaucheron, F., Mollé, D., Léonil, J. and Maubois, J.-L.
Selective determination of phosphopeptide β-CN(1–25) in a β-casein digest by adding iron: characterization by liquid chromatography with on-line electrospray-ionization mass spectrometric detection 664(1995)193
Gemeiner, P., see Mislovičová, D. 664(1995)145
Gentili, D., see De Fusco, M. 664(1995)409
Girot, P., see Boschetti, E. 664(1995)225
Girot, P., see Santambien, P. 664(1995)241
Godbillon, J., see Mangoni, P. 664(1995)393
González, M.L., Carnicero, M., de la Torre, R., Ortuño, J. and Segura, J.
Influence of the injection technique on the thermal degradation of cocaine and its metabolites in gas chromatography 664(1995)317
Graumann, K., see Koller, G. 664(1995)107
Gressier, B., see Faouzi, M.A. 664(1995)463
Grevillot, G., see Simon, G. 664(1995)17
Guéant, J.L., see Moutete, H.F. 664(1995)211
Gueant, J.-L., see Safi, A. 664(1995)253
Guerrier, L., see Boschetti, E. 664(1995)225
Guerrier, L., Flayeux, I., Boschetti, E. and Radosevich, M.B.
Specific sorbent to remove solvent–detergent mixtures from virus-inactivated biological fluids 664(1995)119
Gupta, R.C., see Nagaraja, N.V. 664(1995)472
Hakusui, H., see Tanaka, M. 664(1995)401
Hanak, L., see Simon, G. 664(1995)17
Hervé, F., see Millot, M.-C. 664(1995)55
Hjertén, S., see Li, Y.-M. 664(1995)426
Horvath, J., see Boschetti, E. 664(1995)225
Hubert, E., see Santambien, P. 664(1995)241
Huizing, M.T., Rosing, H., Koopman, F., Keung, A.C.F., Pinedo, H.M. and Beijnen, J.H.
High-performance liquid chromatographic procedures for the quantitative determination of paclitaxel (Taxol) in human urine 664(1995)373
Ikeda, M., see Sormiachi, K. 664(1995)435
Ito, Y., see Shibusawa, Y. 664(1995)295
Ivanov, A.E., Zhigis, L.S., Rapoport, E.M., Lisyutina, O.E. and Zubov, V.P.
Characterization of weak hydrophobic composite sorbents and their application to the isolation of bacterial lectin 664(1995)219
Jacob III, P., Tisdale, E.C., Panganiban, K., Cannon, D., Zabel, K., Mendelson, J.E. and Jones, R.T.
Gas chromatographic determination of methamphetamine and its metabolite amphetamine in human plasma and urine following conversion to N-propyl derivatives 664(1995)449
Jimeno, P., see Lucas, L. 664(1995)137
Jones, R.T., see Jacob III, P. 664(1995)449
Joubert-Caron, R., see Lutomski, D. 664(1995)79
Jozefonvicz, J., see Lakhiari, H. 664(1995)163
Jungbauer, A., see Koller, G. 664(1995)107
Kataoka, H., Takagi, K. and Makita, M.
Determination of total plasma homocysteine and related aminothiols by gas chromatography with flame photometric detection 664(1995)421
Keung, A.C.F., see Huizing, M.T. 664(1995)373
Kimura, Y., see Murase, M. 664(1995)415
Kinzelt, D., see Finger, U.B. 664(1995)69
Király, I., see Patthy, M. 664(1995)247
Kohen, F., see Schwarz, A. 664(1995)83
Koller, G., Graumann, K., Kramer, W., Sara, M. and Jungbauer, A.
Laboratory-scale production and purification of recombinant HIV-1 reverse transcriptase 664(1995)107
Koopman, F., see Huizing, M.T. 664(1995)373
Kountourellis, J.E. and Ebete, K.O.
Reversed-phase high performance liquid chromatographic determination of cyproheptadine from urine by solid-phase extraction 664(1995)468
Kramer, W., see Koller, G. 664(1995)107
Krstulovic, A.M., see Foreword 664(1995)1
Kula, M.-R., see Finger, U.B. 664(1995)69
Lakhiari, H., Legendre, E., Muller, D. and Jozefonvicz, J.
High-performance affinity chromatography of insulin on coated silica grafted with sialic acid 664(1995)163
Lee, H., Lee, J.S. and Lee, H.S.
Simultaneous determination of ampicillin and metampicillin in biological fluids using high-performance liquid chromatography with column switching 664(1995)335
Lee, H.S., see Lee, H. 664(1995)335
Lee, J.S., see Lee, H. 664(1995)335
Legendre, E., see Lakhiari, H. 664(1995)163
Leonard, M., Fournier, C. and Dellacherie, E.
Polyvinyl alcohol-coated macroporous polystyrene particles as stationary phases for the chromatography of proteins 664(1995)39
Léonil, J., see Gaucheron, F. 664(1995)193
Le Saux, L., see Zehender, H. 664(1995)347
Libera, L.D., Massimino, M.L., Arslan, P., Beltrame, M. and Cantini, M.
Analysis of muscle cell culture medium by size-exclusion chromatography 664(1995)185
Linden, G., see Perrin, E. 664(1995)267
Lisyutina, O.E., see Ivanov, A.E. 664(1995)219
Li, Y.-M., Brostedt, P., Hjertén, S., Nyberg, F. and Silberring, J.
Capillary liquid chromatography–fast atom bombardment mass spectrometry using a high-resolving cation exchanger, based on a continuous chromatographic matrix. Application to studies on neuropeptide peptidases 664(1995)426
Loiseau, P.M., see Bernard, A. 664(1995)444
Loureiro, J.M., see Rodrigues, A.E. 664(1995)233
Lucas, L., García-Pérez, A.-I., Jimeno, P., Pérez, M.T., Pinilla, M., Sancho, P. and Luque, J.
Surface properties of crosslinked erythrocytes as studied by counter-current distribution in aqueous polymer two-phase systems 664(1995)137
Luque, J., see Lucas, L. 664(1995)137
Lutomski, D., Joubert-Caron, R., Bourin, P., Bladier, D. and Caron, M.
Use of thiophilic adsorption in the purification of biotinylated Fab fragments 664(1995)79
Luyckx, M., see Faouzi, M.A. 664(1995)463
Machan, Z.A., see Taylor, G.W. 664(1995)458

Makita, M., see Kataoka, H. 664(1995)421
Mangoni, P., Sioufi, A. and Godbillon, J.
Stereospecific high-performance liquid chromatographic determination of an S(−)-benzopyran methyl ester derivative (CGP 50 068), its (−)-carboxylic acid metabolite (CGP 55 461) and the related (+)-enantiomer (CGP 54 228) in human and dog plasma 664(1995)393
Marton, G., see Simon, G. 664(1995)17
Massimino, M.L., see Libera, L.D. 664(1995)185
Matsumoto, U., see Shibusawa, Y. 664(1995)295
Matveevskaya, N.S., Alyoshkin, V.A. and Rozina, M.N.
Isolation of the C3 compiement component and its C3d subunit from IY-1 fraction of Cohn's fractionation of human plasma 664(1995)261
Maubois, J.-L., see Gaucheron, F. 664(1995)193
Mehmet, S., see Taylor, G.W. 664(1995)458
Mendelson, J.E., see Jacob III, P. 664(1995)449
Meybeck, A., see Bonté, F. 664(1995)311
Miclo, L., see Perrin, E. 664(1995)267
Millot, M.-C., Hervé, F. and Sébille, B.
Retention behaviour of proteins on poly(vinylimidazole)–copper(II) complexes supported on silica: application to the fractionation of desialylated human α_1-acid glycoprotein variants 664(1995)55
Mischiati, C., Feriotto, G., Fiorentino, D. and Gambari, R.
Chromatography in DNA radiolabeling: hands-off automation using a robotic workstation 664(1995)303
Mislovičová, D., Chudinová, M., Gemeiner, P. and Dočolomanský, P.
Affinity chromatography of invertase on Concanavalin A–bead cellulose matrix: the case of an extraordinary strong binding glycoenzyme 664(1995)145
Mollé, D., see Gaucheron, F. 664(1995)193
Moneret-Vautrin, D.A., see Moutete, H.F. 664(1995)211
Monsigny, M., see Santambien, P. 664(1995)241
Moutete, H.F., Olszewski, A., Gastin, I., Namour, F., Moneret-Vautrin, D.A. and Guéant, J.L.
Purification of allergenic proteins from peanut for preparation of the reactive solid phase of a specific IgE radioimmunoassay 664(1995)211
Mugiyama, M., see Shibusawa, Y. 664(1995)295
Muller, D., see Dahri, L. 664(1995)47
Muller, D., see Lakhiari, H. 664(1995)163
Mura, P., Papet, Y., Sanchez, A. and Piriou, A.
Rapid and specific high-performance liquid chromatographic method for the determination of iodide in urine 664(1995)440
Murase, M., Kimura, Y. and Nagata, Y.
Determination of portal short-chain fatty acids in rats fed various dietary fibers by capillary gas chromatography 664(1995)415
Nagaraja, N.V., Singh, S.K. and Gupta, R.C.
Sensitive high-performance liquid chromatographic method for the determination of methyl N-[5-[[4-(2-pyridinyl)-1-piperazinyl]carbonyl]-1*H*-benzimidazol-2-yl] carbamate in rat blood 664(1995)472
Nagata, Y., see Murase, M. 664(1995)415
Namour, F., see Moutete, H.F. 664(1995)211
Nattouf, H., Davrinche, C., Sinet, M. and Farinotti, R.
High-performance liquid chromatographic assay for 3′-amino-3′-deoxythymidine in plasma, with 9-fluorenyl methyl chloroformate as the derivatization agent 664(1995)365
Niwa, A., see Sormiachi, K. 664(1995)435
Noinville, V., Craescu, C.T., Vidal-Madjar, C. and Sebille, B.
Molecular approach to protein–polymer interactions in ion-exchange chromatography 664(1995)33
Nooijen, W.J., see Sparreboom, A. 664(1995)383
Nyberg, F., see Li, Y.-M. 664(1995)426
Olszewski, A., see Moutete, H.F. 664(1995)211
Ortuño, J., see González, M.L. 664(1995)317
Oshima, Y., see Tanaka, M. 664(1995)401
Pacifici, R., Pichini, S., Altieri, I., Caronna, A., Passa, A.R. and Zuccaro, P.
High-performance liquid chromatographic–electrospray mass spectrometric determination of morphine and its 3- and 6-glucuronides: application to pharmacokinetic studies 664(1995)329
Palmieri, G., Cassani, G. and Fassina, G.
Peptide immobilization on calcium alginate beads: applications to antibody purification and assay 664(1995)127
Panganiban, K., see Jacob III, P. 664(1995)449
Papet, Y., see Mura, P. 664(1995)440
Passa, A.R., see Pacifici, R. 664(1995)329
Pastoris, A., Cerutti, L., Sacco, R., De Vecchi, L. and Sbaffi, A.
Automated analysis of urinary catecholamines by high-performance liquid chromatography and on-line sample pretreatment 664(1995)287
Patthy, M., Király, I. and Sziráki, I.
Separation of dihydroxybenzoates, indicators of in-vivo hydroxyl free radical formation, in the presence of transmitter amines and some metabolites in rodent brain, using high-performance liquid chromatography with electrochemical detection 664(1995)247
Pérez, M.T., see Lucas, L. 664(1995)137
Perrin, E., Miclo, L., Driou, A. and Linden, G.
Rapid determination of the ratios of three aromatic residues in peptides by reversed-phase high-performance liquid chromatography with a high-resolution photodiode-array detector 664(1995)267
Pfister, M., see Vallar, L. 664(1995)97
Pichini, S., see Pacifici, R. 664(1995)329
Pinedo, H.M., see Huizing, M.T. 664(1995)373
Pinguet, P., see Bonté, F. 664(1995)311
Pinilla, M., see Lucas, L. 664(1995)137
Piot, M., see Vachier, M.C. 664(1995)201
Piriou, A., see Mura, P. 664(1995)440
Radosevich, M.B., see Guerrier, L. 664(1995)119
Rapoport, E.M., see Ivanov, A.E. 664(1995)219
Regnault, V., see Dahri, L. 664(1995)47
Reichert, S., see De Fusco, M. 664(1995)409
Rendueles de la Vega, M., see Rodrigues, A.E. 664(1995)233
Riekkola, M.-L., see Saarinen, M.T. 664(1995)341

Rivat, C., see Vallar, L. 664(1995)97
Roche, A.C., see Santambien, P. 664(1995)241
Rodrigues, A.E., Loureiro, J.M., Chenou, C. and Rendueles de la Vega, M.
Bioseparations with permeable particles 664(1995)233
Rosing, H., see Huizing, M.T. 664(1995)373
Roy, M., see Zehender, H. 664(1995)347
Rozina, M.N., see Matveevskaya, N.S. 664(1995)261
Saarinen, M.T., Sirén, H. and Riekkola, M.-L.
Screening and determination of β-blockers, narcotic analgesics and stimulants in urine by high-performance liquid chromatography with column switching 664(1995)341
Sacco, R., see Pastoris, A. 664(1995)287
Safi, A., Saunier, M., Gastin, I., Alibada, Y., Dugue, B. and Gueant, J.-L.
Intrinsic factor covalently bound to Sepharose as affinity medium for the purification of a soluble intrinsic factor receptor from human urine 664(1995)253
Sanchez, A., see Mura, P. 664(1995)440
Sancho, P., see Lucas, L. 664(1995)137
Santambien, P., Sdiqui, S., Hubert, E., Girot, P., Roche, A.C., Monsigny, M. and Boschetti, E.
In vitro toxicity assays for dye ligands used in affinity chromatography 664(1995)241
Sara, M., see Koller, G. 664(1995)107
Sarti, P., see Chiancone, E. 664(1995)89
Saunier, M., see Safi, A. 664(1995)253
Sbaffi, A., see Pastoris, A. 664(1995)287
Schaub, P., see Zehender, H. 664(1995)347
Schuster, A.E., see Whigan, D.B. 664(1995)357
Schwarz, A., Kohen, F. and Wilchek, M.
Novel heterocyclic ligands for the thiophilic purification of antibodies 664(1995)83
Sdiqui, S., see Santambien, P. 664(1995)241
Sébille, B., see Millot, M.-C. 664(1995)55
Sebille, B., see Noinville, V. 664(1995)33
Sebille, B., see de Collongue-Poyet, B. 664(1995)155
Segura, J., see González, M.L. 664(1995)317
Shibusawa, Y., Mugiyama, M., Matsumoto, U. and Ito, Y.
Complementary use of counter-current chromatography and hydroxyapatite chromatography for the separation of three main classes of lipoproteins from human serum 664(1995)295
Silberring, J., see Li, Y.-M. 664(1995)426
Silvestri, L., see Chiancone, E. 664(1995)89
Simon, G., Hanak, L., Grevillot, G., Szanya, T. and Marton, G.
Preparative-scale amino acid separation by thermal parametric pumping on an ion-exchange resin 664(1995)17
Sinet, M., see Nattouf, H. 664(1995)365
Singh, S.K., see Nagaraja, N.V. 664(1995)472
Sioufi, A., see Mangoni, P. 664(1995)393
Sirén, H., see Saarinen, M.T. 664(1995)341
Sormiachi, K., Ikeda, M., Akimoto, K. and Niwa, A.
Rapid determination of dabsylated hydroxyproline from cultured cells by reversed-phase high-performance liquid chromatography 664(1995)435
Sparreboom, A., van Tellingen, O., Nooijen, W.J. and Beijnen, J.H.
Determination of paclitaxel and metabolites in mouse plasma, tissues, urine and faeces by semi-automated reversed-phase high-performance liquid chromatography 664(1995)383
Stoltz, J.F., see Dahri, L. 664(1995)47
Sultan, Y., see Dahri, L. 664(1995)47
Szanya, T., see Simon, G. 664(1995)17
Sziráki, I., see Patthy, M. 664(1995)247
Takagi, K., see Kataoka, H. 664(1995)421
Tanaka, M., Oshima, Y., Aoki, H. and Hakusui, H.
Determination of a new fluoroquinolone antimicrobial agent, (*S*)-10-[(*S*)-(8-amino-6-azaspiro[3,4]octan-6-yl)]-9-fluoro-2,3- dihydro-3-methyl-7-oxo-7*H*-pyrido[1,2,3-de][1,4]benzoxazine- 6-carboxylic acid hemihydrate, DV-7751a, in human serum and urine using solid-phase extraction and high-performance liquid chromatography with fluorescence detection 664(1995)401
Taylor, G.W., Machan, Z.A., Mehmet, S., Cole, P.J. and Wilson, R.
Rapid identification of 4-hydroxy-2-alkylquinolines produced by *Pseudomonas aeruginosa* using gas chromatography–electron-capture mass spectrometry 664(1995)458
Teixeira, A., see Vallar, L. 664(1995)97
Termine, A., see Chiancone, E. 664(1995)89
Thömmes, J., see Finger, U.B. 664(1995)69
Tisdale, E.C., see Jacob III, P. 664(1995)449
Unger, K.K., see de Collongue-Poyet, B. 664(1995)155
Vachier, M.C., Piot, M. and Awadé, A.C.
Isolation of hen egg white lysozyme, ovotransferrin and ovalbumin, using a quaternary ammonium bound to a highly crosslinked agarose matrix 664(1995)201
Vallar, L., Costa, P.M.P., Teixeira, A., Pfister, M., Barrois, R., Costa, P.P. and Rivat, C.
Immunoadsorption procedure as a potential method for the specific β2-microglobulin removal from plasma of patients with chronic renal failure 664(1995)97
van Tellingen, O., see Sparreboom, A. 664(1995)383
Verdoliva, A., Cassani, G. and Fassina, G.
Affinity purification of polyclonal antibodies using immobilized multimeric peptides 664(1995)175
Vidal-Madjar, C., see Noinville, V. 664(1995)33
Vidal-Madjar, C., see de Collongue-Poyet, B. 664(1995)155
Wallaert, B., see Faouzi, M.A. 664(1995)463
Whigan, D.B. and Schuster, A.E.
Manual and automated determination of 1-β-D-arabinofuranosyl-*E*-5-(2-bromovinyl)uracil and its metabolite (*E*)-5-(2-bromovinyl)uracil in urine 664(1995)357
Wilchek, M., see Schwarz, A. 664(1995)83
Wilson, R., see Taylor, G.W. 664(1995)458
Zabel, K., see Jacob III, P. 664(1995)449
Zehender, H., Denouël, J., Roy, M., Le Saux, L. and Schaub, P.
Simultaneous determination of terbinafine (Lamisil) and five metabolites in human plasma and urine by high-performance liquid chromatography using on-line solid-phase extraction 664(1995)347
Zhigis, L.S., see Ivanov, A.E. 664(1995)219
Zubov, V.P., see Ivanov, A.E. 664(1995)219
Zuccaro, P., see Pacifici, R. 664(1995)329
Zucchetti, M., see De Fusco, M. 664(1995)409

Compound Index Vol. 664

α_1-Acid glycoprotein
Retention behaviour of proteins on poly(vinylimidazole)–copper(II) complexes supported on silica: application to the fractionation of desialylated human α_1-acid glycoprotein variants 664(1995)55

Amines
Separation of dihydroxybenzoates, indicators of in-vivo hydroxyl free radical formation, in the presence of transmitter amines and some metabolites in rodent brain, using high-performance liquid chromatography with electrochemical detection 664(1995)247

Amino acids
Preparative-scale amino acid separation by thermal parametric pumping on an ion-exchange resin 664(1995)17

Retention behaviour of proteins on poly(vinylimidazole)–copper(II) complexes supported on silica: application to the fractionation of desialylated human α_1-acid glycoprotein variants 664(1995)55

Isolation of hen egg white lysozyme, ovotransferrin and ovalbumin, using a quaternary ammonium bound to a highly crosslinked agarose matrix 664(1995)201

Amino acids, aromatic
Rapid determination of the ratios of three aromatic residues in peptides by reversed-phase high-performance liquid chromatography with a high-resolution photodiode-array detector 664(1995)267

Aminothiols
Determination of total plasma homocysteine and related aminothiols by gas chromatography with flame photometric detection 664(1995)421

3′-Amino-3′-deoxythymidine
High-performance liquid chromatographic assay for 3′-amino-3′-deoxythymidine in plasma, with 9-fluorenyl methyl chloroformate as the derivatization agent 664(1995)365

Amphetamine
Gas chromatographic determination of methamphetamine and its metabolite amphetamine in human plasma and urine following conversion to N-propyl derivatives 664(1995)449

Ampicillin
Simultaneous determination of ampicillin and metampicillin in biological fluids using high-performance liquid chromatography with column switching 664(1995)335

Antibodies
Novel heterocyclic ligands for the thiophilic purification of antibodies 664(1995)83

Anticancer drugs
Determination of hydrophobicity of non-homologous series of anticancer drugs by reversed-phase high-performance liquid chromatography 664(1995)277

Anti-factor VIII
Synthetic sorbents for removal of factor VIII inhibitors from haemophilic A plasma 664(1995)47

Antithrombin III
Specific sorbent to remove solvent–detergent mixtures from virus-inactivated biological fluids 664(1995)119

1-β-D-Arabinofuranosyl-E-5-(2-bromovinyl)uracil
Manual and automated determination of 1-β-D-arabinofuranosyl-*E*-5-(2-bromovinyl)uracil and its metabolite (*E*)-5-(2-bromovinyl)uracil in urine 664(1995)357

Aspartic acid
Preparative-scale amino acid separation by thermal parametric pumping on an ion-exchange resin 664(1995)17

Benzopyran methyl ester derivative
Stereospecific high-performance liquid chromatographic determination of an *S*(−)-benzopyran methyl ester derivative (CGP 50 068), its (−)-carboxylic acid metabolite (CGP 55 461) and the related (+)-enantiomer (CGP 54 228) in human and dog plasma 664(1995)393

Bile acids
Analysis of bile acids and their conjugates using high-pH anion-exchange chromatography with pulsed amperometric detection 664(1995)431

β-Blockers
Screening and determination of β-blockers, narcotic analgesics and stimulants in urine by high-performance liquid chromatography with column switching 664(1995)341

Bovine serum
Specific sorbent to remove solvent–detergent mixtures from virus-inactivated biological fluids 664(1995)119

Bovine serum albumin
Polyvinyl alcohol-coated macroporous polystyrene particles as stationary phases for the chromatography of proteins 664(1995)39

Application of thiophilic membranes for the purification of monoclonal antibodies from cell culture media 664(1995)69

Bioseparations with permeable particles 664(1995)233

(E)-5-(2-Bromovinyl)uracil
Manual and automated determination of 1-β-D-arabinofuranosyl-*E*-5-(2-bromovinyl)uracil and its metabolite (*E*)-5-(2-bromovinyl)uracil in urine 664(1995)357

Budesonide
High-performance liquid chromatographic method for the determination of budesonide in bronchoalveolar lavage of asthmatic patients 664(1995)463

β-Casein
Selective determination of phosphopeptide β-CN(1–25) in a β-casein digest by adding iron: characterization by liquid chromatography with on-line electrospray-ionization mass spectrometric detection 664(1995)193

C_3 Complement component
Isolation of the C3 complement component and its C3d subunit from IY-1 fraction of Cohn's fractionation of human plasma 664(1995)261

Calcium alginate
Peptide immobilization on calcium alginate beads: applications to antibody purification and assay 664(1995)127

Catecholamines
Automated analysis of urinary catecholamines by high-performance liquid chromatography and on-line sample pretreatment 664(1995)287

CDRI 81/470
Sensitive high-performance liquid chromatographic method for the determination of methyl N-[5-[[4-(2-pyridinyl)-1-piperazinyl]carbonyl]-1*H*-benzimidazol-2-yl] carbamate in rat blood 664(1995)472

CGP 50068
Stereospecific high-performance liquid chromatographic determination of an *S*(−)-benzopyran methyl ester derivative (CGP 50 068), its (−)-carboxylic acid metabolite (CGP 55 461) and the related (+)-enantiomer (CGP 54 228) in human and dog plasma 664(1995)393

CGP 54228
Stereospecific high-performance liquid chromatographic determination of an *S*(−)-benzopyran methyl ester derivative (CGP 50 068), its (−)-carboxylic acid metabolite (CGP 55 461) and the related (+)-enantiomer (CGP 54 228) in human and dog plasma 664(1995)393

CGP 55461
Stereospecific high-performance liquid chromatographic determination of an *S*(−)-benzopyran methyl ester derivative (CGP 50 068), its (−)-carboxylic acid metabolite (CGP 55 461) and the related (+)-enantiomer (CGP 54 228) in human and dog plasma 664(1995)393

Cobalamin
Intrinsic factor covalently bound to Sepharose as affinity medium for the purification of a soluble intrinsic factor receptor from human urine 664(1995)253

Cocaine
Influence of the injection technique on the thermal degradation of cocaine and its metabolites in gas chromatography 664(1995)317

Corticosteroids
High-performance liquid chromatographic method for the determination of budesonide in bronchoalveolar lavage of asthmatic patients 664(1995)463

Cyproheptadine
Reversed-phase high performance liquid chromatographic determination of cyproheptadine from urine by solid-phase extraction 664(1995)468

Cysteine
Determination of total plasma homocysteine and related aminothiols by gas chromatography with flame photometric detection 664(1995)421

Cysteinylglycine
Determination of total plasma homocysteine and related aminothiols by gas chromatography with flame photometric detection 664(1995)421

Dihydroxybenzoates
Separation of dihydroxybenzoates, indicators of in-vivo hydroxyl free radical formation, in the presence of transmitter amines and some metabolites in rodent brain, using high-performance liquid chromatography with electrochemical detection 664(1995)247

Dihydroxypaclitaxel
Determination of paclitaxel and metabolites in mouse plasma, tissues, urine and faeces by semi-automated reversed-phase high-performance liquid chromatography 664(1995)383

Dimethylaminoetoposide
High-performance liquid chromatographic assay for the determination of the novel etoposide derivative dimethylaminoetoposide (NK611) and its metabolites in urine of cancer patients 664(1995)409

DNA
Chromatography in DNA radiolabeling: hands-off automation using a robotic workstation 664(1995)303

Dopamine
Automated analysis of urinary catecholamines by high-performance liquid chromatography and on-line sample pretreatment 664(1995)287

Endopeptidase
Capillary liquid chromatography–fast atom bombardment mass spectrometry using a high-resolving cation exchanger, based on a continuous chromatographic matrix 664(1995)426

Enzymes
Laboratory-scale production and purification of recombinant HIV-1 reverse transcriptase 664(1995)107

Affinity chromatography of invertase on Concanavalin A–bead cellulose matrix: the case of an extraordinary strong binding glycoenzyme 664(1995)145

Capillary liquid chromatography–fast atom bombardment mass spectrometry using a high-resolving cation exchanger, based on a continuous chromatographic matrix 664(1995)426

Epinephrine
Automated analysis of urinary catecholamines by high-performance liquid chromatography and on-line sample pretreatment 664(1995)287

Fab fragments
Use of thiophilic adsorption in the purification of biotinylated Fab fragments 664(1995)79

Factor VIII
Synthetic sorbents for removal of factor VIII inhibitors from haemophilic A plasma 664(1995)47

Fatty acids
Determination of portal short-chain fatty acids in rats fed various dietary fibers by capillary gas chromatography 664(1995)415

Fluoroquinolone antinucrobial agent
Determination of a new fluoroquinolone antimicrobial agent, (*S*)-10-[(*S*)-(8-amino-6-azaspiro[3,4]octan-6-yl)]-9-fluoro-2,3-dihydro-3-methyl-7-oxo-7*H*-pyrido[1,2,3-de][1,4]benzoxazine-6-carboxylic acid hemihydrate, DV-7751a, in human serum and urine using solid-phase extraction and high-performance liquid chromatography with fluorescence detection 664(1995)401

Glucocorticosteroids
High-performance liquid chromatographic method for the determination of budesonide in bronchoalveolar lavage of asthmatic patients 664(1995)463

Glutamic acid
Preparative-scale amino acid separation by thermal parametric pumping on an ion-exchange resin 664(1995)17

Glycoenzymes
Affinity chromatography of invertase on Concanavalin A–bead cellulose matrix: the case of an extraordinary strong binding glycoenzyme 664(1995)145

Haemoglobin
Preparative and analytical applications of immobilized haemoglobin 664(1995)89

High-density lipoproteins
Complementary use of counter-current chromatography and hydroxyapatite chromatography for the separation of three main classes of lipoproteins from human serum 664(1995)295

Homocysteine
Determination of total plasma homocysteine and related aminothiols by gas chromatography with flame photometric detection 664(1995)421

Homovanillic acid
Automated analysis of urinary catecholamines by high-performance liquid chromatography and on-line sample pretreatment 664(1995)287

Human immunodeficiency virus 1
Laboratory-scale production and purification of recombinant HIV-1 reverse transcriptase 664(1995)107

4-Hydroxy-2-alkylquinolines
Rapid identification of 4-hydroxy-2-alkylquinolines produced by *Pseudomonas aeruginosa* using gas chromatography–electron-capture mass spectrometry 664(1995)458

Hydroxymethoxyphenylglycol
Automated analysis of urinary catecholamines by high-performance liquid chromatography and on-line sample pretreatment 664(1995)287

Hydroxypaclitaxel
Determination of paclitaxel and metabolites in mouse plasma, tissues, urine and faeces by semi-automated reversed-phase high-performance liquid chromatography 664(1995)383

Hydroxyproline
Rapid determination of dabsylated hydroxyproline from cultured cells by reversed-phase high-performance liquid chromatography 664(1995)435

Immunoglobulin E
Purification of allergenic proteins from peanut for preparation of the reactive solid phase of a specific IgE radioimmunoassay 664(1995)211

Immunoglobulin fractions
Use of thiophilic adsorption in the purification of biotinylated Fab fragments 664(1995)79

Immunoglobulin G
Specific sorbent to remove solvent–detergent mixtures from virus-inactivated biological fluids 664(1995)119

Insulin
High-performance affinity chromatography of insulin on coated silica grafted with sialic acid 664(1995)163

Interferon-γ
Study of conformational effects of recombinant interferon γ adsorbed on a non-porous reversed-phase silica support 664(1995)155

Intrinsic binding protein
Intrinsic factor covalently bound to Sepharose as affinity medium for the purification of a soluble intrinsic factor receptor from human urine 664(1995)253

Intrinsic factor receptor
Intrinsic factor covalently bound to Sepharose as affinity medium for the purification of a soluble intrinsic factor receptor from human urine 664(1995)253

Invertase
Affinity chromatography of invertase on Concanavalin A–bead cellulose matrix: the case of an extraordinary strong binding glycoenzyme 664(1995)145

Iodide
Rapid and specific high-performance liquid chromatographic method for the determination of iodide in urine 664(1995)440

Lectin
Characterization of weak hydrophobic composite sorbents and their application to the isolation of bacterial lectin 664(1995)219

Lipids
Analysis of all stratum corneum lipids by automated multiple development high-performance thin-layer chromatography 664(1995)311

Lipoproteins
Complementary use of counter-current chromatography and hydroxyapatite chromatography for the separation of three main classes of lipoproteins from human serum 664(1995)295

Low-density lipoproteins
Complementary use of counter-current chromatography and hydroxyapatite chromatography for the separation of three main classes of lipoproteins from human serum 664(1995)295

Lysozyme
Isolation of hen egg white lysozyme, ovotransferrin and ovalbumin, using a quaternary ammonium bound to a highly crosslinked agarose matrix 664(1995)201

Methamphetamine
Gas chromatographic determination of methamphetamine and its metabolite amphetamine in human plasma and urine following conversion to N-propyl derivatives 664(1995)449

Metampicillin
Simultaneous determination of ampicillin and metampicillin in biological fluids using high-performance liquid chromatography with column switching 664(1995)335

Methyl N-[5-[[4-(2-pyridinyl)-1-piperazinyl[carbonyl]-1H-benzimidazole-2-yl] carbamate
Sensitive high-performance liquid chromatographic method for the determination of methyl N-[5-[[4-(2-pyridinyl)-1-piperazinyl]carbonyl]-1*H*-benzimidazol-2-yl] carbamate in rat blood 664(1995)472

β2-Microglobulin
Immunoadsorption procedure as a potential method for the specific β2-microglobulin removal from plasma of patients with chronic renal failure 664(1995)97

Monoclonal antibodies
Application of thiophilic membranes for the purification of monoclonal antibodies from cell culture media 664(1995)69

Morphine
High-performance liquid chromatographic–electrospray mass spectrometric determination of morphine and its 3- and 6-glucuronides: application to pharmacokinetic studies 664(1995)329

Morphine glucuronides
High-performance liquid chromatographic–electrospray mass spectrometric determination of morphine and its 3- and 6-glucuronides: application to pharmacokinetic studies 664(1995)329

Myoglobin
Bioseparations with permeable particles 664(1995)233

Narcotic analgesics
Screening and determination of β-blockers, narcotic analgesics and stimulants in urine by high-performance liquid chromatography with column switching 664(1995)341

Neuropeptides
Capillary liquid chromatography–fast atom bombardment mass spectrometry using a high-resolving cation exchanger, based on a continuous chromatographic matrix 664(1995)426

NK611
High-performance liquid chromatographic assay for the determination of the novel etoposide derivative dimethylaminoetoposide (NK611) and its metabolites in urine of cancer patients 664(1995)409

Norepinephrine
Automated analysis of urinary catecholamines by high-performance liquid chromatography and on-line sample pretreatment 664(1995)287

Ovalbumin
Isolation of hen egg white lysozyme, ovotransferrin and ovalbumin, using a quaternary ammonium bound to a highly crosslinked agarose matrix 664(1995)201

Bioseparations with permeable particles 664(1995)233

Ovotransferrin
Isolation of hen egg white lysozyme, ovotransferrin and ovalbumin, using a quaternary ammonium bound to a highly crosslinked agarose matrix 664(1995)201

Paclitaxel
High-performance liquid chromatographic procedures for the quantitative determination of paclitaxel (Taxol) in human urine 664(1995)373

Determination of paclitaxel and metabolites in mouse plasma, tissues, urine and faeces by semi-automated reversed-phase high-performance liquid chromatography 664(1995)383

Papain
Use of thiophilic adsorption in the purification of biotinylated Fab fragments 664(1995)79

Peptidases
Capillary liquid chromatography–fast atom bombardment mass spectrometry using a high-resolving cation exchanger, based on a continuous chromatographic matrix 664(1995)426

Peptides
Retention behaviour of proteins on poly(vinylimidazole)–copper(II) complexes supported on silica: application to the fractionation of desialylated human α_1-acid glycoprotein variants 664(1995)55

Peptide immobilization on calcium alginate beads: applications to antibody purification and assay 664(1995)127

Affinity purification of polyclonal antibodies using immobilized multimeric peptides 664(1995)175

Analysis of muscle cell culture medium by size-exclusion chromatography 664(1995)185

Rapid determination of the ratios of three aromatic residues in peptides by reversed-phase high-performance liquid chromatography with a high-resolution photodiode-array detector 664(1995)267

Phosphopeptide β-CN(1–25)
Selective determination of phosphopeptide β-CN(1–25) in a β-casein digest by adding iron: characterization by liquid chromatography with on-line electrospray-ionization mass spectrometric detection 664(1995)193

Poly(vinylimidazole)–copper(II) complexes
Retention behaviour of proteins on poly(vinylimidazole)–copper(II) complexes supported on silica: application to the fractionation of desialylated human α_1-acid glycoprotein variants 664(1995)55

Proteins
Chromatography in plasma fractionation: benefits and future trends 664(1995)3

Molecular approach to protein–polymer interactions in ion-exchange chromatography 664(1995)33

Polyvinyl alcohol-coated macroporous polystyrene particles as stationary phases for the chromatography of proteins 664(1995)39

Synthetic sorbents for removal of factor VIII inhibitors from haemophilic A plasma 664(1995)47

Retention behaviour of proteins on poly(vinylimidazole)–copper(II) complexes supported on silica: application to the fractionation of desialylated human α_1-acid glycoprotein variants 664(1995)55

Immunoadsorption procedure as a potential method for the specific β2-microglobulin removal from plasma of patients with chronic renal failure 664(1995)97

Surface properties of crosslinked erythrocytes as studied by counter-current distribution in aqueous polymer two-phase systems 664(1995)137

Study of conformational effects of recombinant interferon γ adsorbed on a non-porous reversed-phase silica support 664(1995)155

Isolation of hen egg white lysozyme, ovotransferrin and ovalbumin, using a quaternary ammonium bound to a highly crosslinked agarose matrix 664(1995)201

Characterization of weak hydrophobic composite sorbents and their application to the isolation of bacterial lectin 664(1995)219

Preparative high-performance liquid chromatographic separation of proteins with HyperD ion-exchange supports 664(1995)225

In vitro toxicity assays for dye ligands used in affinity chromatography 664(1995)241

Intrinsic factor covalently bound to Sepharose as affinity medium for the purification of a soluble intrinsic factor receptor from human urine 664(1995)253

Isolation of the C3 complement component and its C3d subunit from IY-1 fraction of Cohn's fractionation of human plasma 664(1995)261

Proteins, allergenic
Purification of allergenic proteins from peanut for preparation of the reactive solid phase of a specific IgE radioimmunoassay 664(1995)211

Reverse transcriptase
Laboratory-scale production and purification of recombinant HIV-1 reverse transcriptase 664(1995)107

Serine
Preparative-scale amino acid separation by thermal parametric pumping on an ion-exchange resin 664(1995)17

Sialic acid
High-performance affinity chromatography of insulin on coated silica grafted with sialic acid 664(1995)163

Stimulants
Screening and determination of β-blockers, narcotic analgesics and stimulants in urine by high-performance liquid chromatography with column switching 664(1995)341

Substance P
Capillary liquid chromatography–fast atom bombardment mass spectrometry using a high-resolving cation exchanger, based on a continuous chromatographic matrix 664(1995)426

Taxol
High-performance liquid chromatographic procedures for the quantitative determination of paclitaxel (Taxol) in human urine 664(1995)373

Terbinafine
Simultaneous determination of terbinafine (Lamisil) and five metabolites in human plasma and urine by high-performance liquid chromatography using on-line solid-phase extraction 664(1995)347

Threonine
Preparative-scale amino acid separation by thermal parametric pumping on an ion-exchange resin 664(1995)17

Vanilmandelic acid
Automated analysis of urinary catecholamines by high-performance liquid chromatography and on-line sample pretreatment 664(1995)287

Very-low-density lipoproteins
Complementary use of counter-current chromatography and hydroxyapatite chromatography for the separation of three main classes of lipoproteins from human serum 664(1995)295

Viruses
Chromatography in plasma fractionation: benefits and future trends 664(1995)3

Vitamin B_{12}
Intrinsic factor covalently bound to Sepharose as affinity medium for the purification of a soluble intrinsic factor receptor from human urine 664(1995)253